

WORLD FEDERATION OF HEMOPHILIA

Mark Brooker
Senior Public Policy Officer
Barcelona – June 2017



BRINGING OUR MISSION TO LIFE

Treatment for All

The World Federation of Hemophilia improves and sustains care for people with inherited bleeding disorders around the world



WORLD FEDERATION OF HEMOPHILIA
FÉDÉRATION MONDIALE DE L'HÉMOFILIE
FEDERACIÓN MUNDIAL DE HEMOFILIA

TREATMENT FOR ALL

The World Federation of Hemophilia improves and sustains care for people with inherited bleeding disorders around the world



134 national member organizations

**Founded in
1963**

**Recognized by
the WHO in
1969**



WORLD FEDERATION OF HEMOPHILIA
FÉDÉRATION MONDIALE DE L'HÉMOFILIE
FEDERACIÓN MUNDIAL DE HEMOFILIA

GLOBAL ALLIANCE FOR PROGRESS (GAP)



- **Flagship** WFH healthcare development project
- Launched in 2003
- Foster **partnership** between government, healthcare providers and patients
- Develop **sustainable** national care programs
- **Multi-sponsored** program

GLOBAL ALLIANCE FOR PROGRESS

Government support

Actively involving the government in allocating resources to hemophilia care

Care delivery

Supporting the structure through which hemophilia services are provided in a country through a network of hemophilia treatment centres

Medical expertise and laboratory diagnosis

Ensuring that medical professionals are well trained and patients are accurately diagnosed

Treatment products

Helping to enhance the supply of safe treatment products

Patient organization

Providing coaching on effective management, public relations skills, fundraising, advocacy, and patient education



WORLD FEDERATION OF HEMOPHILIA
FÉDÉRATION MONDIALE DE L'HÉMOFILIE
FEDERACIÓN MUNDIAL DE HEMOFILIA

GLOBAL ALLIANCE FOR PROGRESS

Data Collection & Outcomes Research

Helping to gather evidence needed to make the case for better care



WORLD FEDERATION OF HEMOPHILIA
FÉDÉRATION MONDIALE DE L'HÉMOFILIE
FEDERACIÓN MUNDIAL DE HEMOFILIA


PREVALENCE AND INCIDENCE RATES OF INHERITED BLEEDING DISORDERS

Type	Prevalence	Incidence Rate
Hemophilia A and B	<ul style="list-style-type: none">400,000 people200,000 severe 187,183 known to WFH	<ul style="list-style-type: none">A: 1 in 10,000B: 1 in 50,000
Von Willebrand	<ul style="list-style-type: none">6,000,000 people 74,819 know to WFH	<ul style="list-style-type: none">1 in 1,000
Very rare bleeding disorders – non FVIII, FIX, VWD	42,360 known to WFH	0.33 to 10 in 1 Million

Source: WFH 2015 Annual Global Survey

WFH ANNUAL GLOBAL SURVEY

FVIII use over time: World, Lower, Middle and Upper Income




FACTOR VIII NEEDED FOR APPROPRIATE THERAPY

FVIII IU PER CAPITA NEEDED	EXPECTED OUTCOME
<1	<ul style="list-style-type: none">• Shortened life expectancy
1	<ul style="list-style-type: none">• Survival from worse effects
2 – 4	<ul style="list-style-type: none">• Adequate episodic therapy• Elective surgery• Secondary prophylaxis in target joints
5 - 7	<ul style="list-style-type: none">• Primary prophylaxis• Immune tolerance induction (ITI)


Evatt, Haemophilia 2002; 8:152

ESTIMATED GLOBAL FVIII USE

Population




FVIII TOTAL IU




Source: WFH 2015 Annual Global Survey and Worldometers

USE OF PLASMA AND CRYO




Source: WFH 2015 Annual Global Survey

USE OF PLASMA AND CRYO




Source: WFH 2015 Annual Global Survey

GAP: INCREASE IN IDENTIFIED PWH (2003-2016)



GAP: INCREASE IN FACTOR VIII IU PER CAPITA (2003 - 2016)



WFH

WORLD FEDERATION OF HEMOPHILIA
FÉDÉRATION MONDIALE DE L'HÉMOFILIE
FEDERACIÓN MUNDIAL DE HEMOFILIA

THANK YOU



WORLD FEDERATION OF HEMOPHILIA
FÉDÉRATION MONDIALE DE L'HÉMOPHILIE
FEDERACIÓN MUNDIAL DE HEMOFILIA